



FRONT VIEW


Pin #	Assignment
1	Top
2	Left
3	Bottom
4	Right



DETAIL A



DETAIL B



NOTES:

1. ITO GLASS THICKNESS : 1.10mm
  2. OVERALL THICKNESS : 1.40±0.10mm
  3. CONNECTOR AND PINOUT AS INDICATED
  4. FRONT SURFACE : ANTI-GLARE HARDCOAT
  5. LAYER TO LAYER ASSEMBLY TOLERANCE: ±0.30mm
  6. TAIL TYPE : IMMERSION GOLD PLATED FPC , ZIF
  7. OTHER SPEC : SEE APPROVAL SHEET
- \*BEFORE DESIGN PLEASE REFER TO THE INTEGRATION GUIDE



A	NO.	DATE	DESCRIPTION	APPROVED	CHK
A	JUN 22, 2006	ITO PET MODIFY	ALEX		CHK
REVISION					
CHIEF OF DESIGN		APPROVED	Grace		
ENGINEER		PROJECT MANAGER			
DRAWN BY	Bruce	DATE	May. 10, 2012		
SHT	1	OF	1	REV.	A

Apex Material Technology Corp.

TOLERANCES UNLESS SPECIFIED		PROJECT NAME: 9525
.X	± 0.50	
.XX	± 0.50	
.XXX	± 0.30	SCALE: 1:1 UNIT: mm
ANGULAR	.	